

ClariNorit - 800R

Applications

Waste Water Treatment
 Hydrocarbon Removal
 Remediation Treatment
 Toxin Removal

Features / Benefits

Recycled Material
 High Activity
 High Hardness
 Low Dust
 Spent Carbon Return

Packaging

1000 lb bulk bags

ClariNorit- 800R is a steam reactivated carbon produced at the newest reactivation facility in North America. This granular carbon has excellent adsorptive properties for removing organics and hydrocarbons from waste water as well as remediation sites.

ClariNorit - 800R is available in various packaging and can part of a turnkey service.



Specifications

Iodine Number	min	850
Ash Content	max	5%
Moisture Content	max	5%

Typical Properties

Ball Pan Hardness	85
Bulk Density	30 lbs/ft ³

Mesh Size

> 8 mesh	10%
< 30 mesh	5%
< 100 mesh (Dust and Fines)	.5%

ClariNorit

Phone: 913-956-6621
 E-mail: info@clarinorit.com



CAUTION Activated carbon can remove oxygen from air under wet or humid conditions. Care should be taken when entering confined spaces where wet activated carbon is present. Use proper breathing apparatus to prevent prolonged dust exposure.

NOTICE ClariNorit reserve the right to change product specifications without prior notification. The information contained in this datasheet is intended to assist a customer in the evaluation and carbon selection. ClariNorit or any of its affiliations assumes no obligation or liability for the usage of the information in this datasheet. No guarantees or warranties, expressed or implied, are provided and the user must accept full responsibility for performance of carbon based on this data.